

1258-990

3/6/2013

118

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



United States  
Environmental Protection  
Agency

**Office of Pesticide Programs**

MAR - 6 2013

Lonza Inc  
Allendale  
90 Boroline Road  
Allendale, N. J. 07401

Attention: Nadiyah A. McCarroll  
Senior Regulatory Services Associate

Subject: Triadine 10 Industrial Microbiostat  
EPA Registration No. 1258-990  
Your Notification Dated January 28, 2013

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9).

**Proposed Notification**

- Label Changes as required by the State of California

**General Comments:**

Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Marshall Swindell at (703) 308-6341.

Sincerely,

A handwritten signature in cursive script, appearing to read "Marshall Swindell".

Marshall Swindell  
Product Manager 33  
Regulatory Management Branch 1  
Antimicrobials Division (7510P)

**EPA**

United States  
**Environmental Protection Agency**  
 Washington, DC 20460

- ☐ Registration  
☐ Amendment  
☒ Other:

OPP Identifier Number

218

**Application for Pesticide - Section I**

1. Company/Product Number 1258-990	2. EPA Product Manager Marshall Swindell	3. Proposed Classification  <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Triadine 10 Industrial Microbiostat</b>	PM# 33	
5. Name and Address of Applicant (Include ZIP Code) <b>Arch Chemicals, Inc.</b> <b>5660 New Northside Drive, Suite 1100</b> <b>Atlanta, GA 30328</b>		6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No: _____  Product Name: _____


**PLEASE SEND ALL CORRESPONDENCE TO**  
**"CONTACT POINT" LISTED BELOW**  
☐ Check if this is a new address

**Section - II**

- ☐ Amendment - Explain below. ☐ Final printed labels in response to Agency letter dated \_\_\_\_\_  
☐ Resubmission in response to Agency letter dated \_\_\_\_\_ ☐ "Me Too" Application  
☒ Notification - Explain below. ☐ Other - Explain below

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)**Notification Per PR Notice 98-10: See Cover Letter for Details**

This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



Signature: 

Date: 2013-02-01

**Section - III**

1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
*Certification must be submitted		If "Yes" Unit Packaging wgt. varies	No. per container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <b>Nadiyah A. McCarroll</b>	Title Sr. Regulatory Services Associate	Telephone No. (Include Area Code) 201.316.9213
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received <b>(Stamped)</b> 
2. Signature 	3. Title <b>Sr. Regulatory Services Associate</b>	
4. Typed Name <b>Nadiyah A. McCarroll</b>	5. Date <b>February 1, 2013</b>	

Please read instructions on reverse before completing form.

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98

White- EPA File Copy (original) Yellow- Applicant Copy

Via FedEx

Marshall Swindell, PM-33  
Document Processing Desk [NOTIF]  
Office of Pesticide Programs (7504P)  
US Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2227 S. Crystal Drive  
Arlington, VA 22202

Lonza Inc  
Allendale  
90 Boroline Road  
Allendale, NJ 07401, USA

Nadiyah A. McCarroll  
Regulatory Services

Tel 201-316-9213  
nadiyah.mccarroll@lonza.com

February 1, 2013

**SUBJECT: Label Notification as per PR Notice 98-10**

**PRODUCTS: Triadine 10 Industrial Microbiostat (EPA Reg. No. 1258-990)**

Dear Mr. Swindell:

On behalf of Arch Chemicals, Inc. (now a part of Lonza, Inc.), I am submitting this Notification to request the following changes/updates to label of the above referenced product:

- To add the qualifier statement to uses not approved in California; "Not approved for use in California"
- Move triple-rinse instructions under Container Disposal.
- Change the bacterial count from 10<sup>7</sup> and 10<sup>3</sup> to 10<sup>7</sup> and 10<sup>3</sup> under "To Inhibit The Growth of Bacteria and Fungi in Aqueous Metal Working, Cutting, Cooling and Lubricating Fluids"

To support this notification, the following documents are enclosed for your review:

1. Application for Notification; FRM 8750-1
2. One (1) copy of the proposed label with highlighted changes; and
3. One (1) clean copy of the proposed label.


If you have any questions or need any additional information, please feel free to contact me at [nadiyah.mccarroll@lonza.com](mailto:nadiyah.mccarroll@lonza.com) or 201-316-9213.

Best Regards

Lonza Inc.



Nadiyah A. McCarroll  
Sr. Regulatory Services Associate



# TRIADINE® 10 INDUSTRIAL MICROBIOSTAT

## Active Ingredients:

Sodium, 2-pyridinethiol-1-oxide .....	6.56%
Hexahydro-1,3,5-tris (2-hydroxyethyl)-s-triazine. ....	65.95%
Inert Ingredients .....	27.49%
Total .....	100.00%

EPA Reg. No. 1258-990

EPA Est. No. 1258-NY-3

**KEEP OUT OF REACH OF CHILDREN**

## **DANGER**

SEE FIRST AID & ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL

### MANUFACTURED FOR:

Arch Chemicals, Inc.  
5660 New Northside Drive, Suite 1100  
Atlanta, GA 30328

Made in the USA.

TRIADINE® is a registered trademark of Arch Chemicals, Inc.

Net Weight {as indicated on container}.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER:**

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

**PERSONAL PROTECTIVE EQUIPMENT(PPE):**

Applicators and other handlers must wear: long sleeved shirt and long pants, socks and shoes, chemical-resistant gloves (such as rubber or waterproof gloves), goggles and face shield.

**USER SAFETY REQUIREMENTS:** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing.

**FIRST AID:**

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for further treatment advice.

**If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency, for additional information call 1-800-654-6911.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

**CHEMICAL HAZARDS:** Do not store or mix with strong oxidizing agents or strong (concentrated) acids. In case of contamination, do not reseal container. If possible, isolate container in open air or well-ventilated area. Fumes caused by contamination may be hazardous.

**STORAGE AND DISPOSAL:** This pesticide is a chelating agent and should not be used with other chelating agents or chlorine. Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store above 100 degrees F. (38 deg. C.). Keep container tightly closed when not in use. Do not store with strong oxidizing agents or strong (concentrated) acids.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For containers > 5 gallons] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

[For containers < 5 gallons] Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

718

**DIRECTIONS FOR USE :** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons.

**<sup>1</sup>FOR THE IN-CAN PRESERVATION OF LATEX EMULSIONS USED IN ADHESIVES, CAULKS, PATCHING COMPOUNDS, SEALANTS, PASTES GROUTS AND PAINTS:** To inhibit microbial growth in latex emulsions for a period of up to 1 year, a dosage of up to 1500 ppm of this product (0.15 lbs. of this product per 100 lbs. of emulsion) is recommended. This product may be added at any time during the formulation procedure by pouring from the container.

**<sup>1</sup>FOR THE PRESERVATION OF AQUEOUS ANALYTICAL AND DIAGNOSTIC REAGENTS USED IN CHEMICAL AND CLINICAL ANALYSIS:** Addition of 300 ppm to 500 ppm of this product inhibits the growth of bacteria in aqueous analytical and diagnostic reagents (0.03 lb. to 0.05 lb. of this product per 100 lbs. of reagent).


**<sup>1</sup>IN AQUEOUS SYNTHETIC FIBER LUBRICANTS (SPIN FINISHES):** Addition of up to 1000 ppm of this product will inhibit the growth of bacteria and the formation of slime in synthetic fiber lubricants for periods of two to four weeks during use. (0.1 lb. of this product per 100 lbs. of lubricant).

**<sup>1</sup>IN AQUEOUS-BASED INKS:** Addition of up to 5000 ppm of this product will inhibit the growth of bacteria and fungi in aqueous-based inks. (0.5 lbs. of this product per 100 lbs. of ink).

**TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN AQUEOUS METALWORKING, CUTTING, COOLING AND LUBRICATING FLUIDS:** Add up to 2000 ppm (0.2% v/v) of this product to the solution (20 gallons per 10,000 gallons) by pouring from container as needed. When adding fresh, diluted fluid to compensate for dragout or other losses, add this product to the make-up fluid according to the above directions. Frequent checks (at least once a week) of the bacterial and fungal population in the system should be made using standard microbiological plate count procedures or any of the commercial "dip-stick" type devices. When the bacterial count reaches  $10^7$  and/or the fungal count reaches  $10^3$  organisms per ml, add additional product at the initial dosage rate.

The fluid should be checked at least once a day with a refractometer (or other suitable means) to determine if water loss by evaporation has occurred. Make-up water should be added daily to compensate for such losses. The fluid should be monitored at least once a week (depending on the metalworking operation involved) for the following: Tramp oil, pH, odor, oil droplet size, and anticorrosion properties. If any of these parameters are outside of the specifications established for the system in question, they should be brought up to the specifications by the addition of suitable additives or the fluid should be discarded and replaced after cleaning the system. Add this product to the fresh fluid according to the above directions. Contaminated fluid systems should be cleaned prior to the initial addition of this product. Drain the system, clean with a cleaner designed for this purpose, rinse with water and refill with fresh fluid. This product may be added to the fluid at the time it is prepared (diluted) or to the reservoir (sump) containing the fluid after it is put into use. If it is added to the reservoir, the fluid should be circulated after addition to ensure mixing.

**<sup>1</sup>Not approved for use in California**



818

**<sup>1</sup>TO INHIBIT THE GROWTH OF BACTERIA AND FUNGI IN METALWORKING, CUTTING, COOLING AND LUBRICATING FLUID CONCENTRATES:** Add an amount that will give up to a 2000 ppm solution. The amount required in the concentrate will depend on the end use dilution. To calculate the correct amount of this product to incorporate into the concentrate:

1. Determine the desired dose of this product required for the dilute fluid (i.e., 0.2% or 2000 ppm).

2. Determine end-use concentration of the fluid (i.e., 0.05 or 5%).

Divide the required dose of this product by the end-use concentration of the fluid (i.e.,  $0.2/0.05 = 4$ ), then 4% (by weight based on total batch weight of coolant concentrate) is the amount of this product to incorporate into the fluid concentrate so that a 5% dilution will contain 2000 ppm of this product.

The following chart describes other dilutions:

<u>Level of Triadine 3 Desired In End-Use Diluted Fluid</u>	<u>End Use Dilution of Conc</u>	<u>Amt. Of Triadine 3 to Add to Concentrate</u>
2000 ppm	5%	4% (40,000ppm) 40 gal./1000 gal.Conc
1500 ppm	5%	3% (30,000ppm) 30 gal/1000 gal Conc.
1000 ppm	5%	2% (20,000ppm) 20 gal/1000 gal Conc.
2000 ppm	4%	5% (50,000ppm) 50 gal/1000 gal. Conc.
1500 ppm	4%	3.75% (37500ppm) 37.5gal/1000 gal Conc.
1000ppm	4%	2.5% (25,000ppm) 25 gal/1000 gal Conc.

<sup>1</sup>Not approved for use in California